Filed: September 23, 2003

Page : 2 of 7

## Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

## Listing of Claims:

## 1-48. (Canceled)

- 49. (New) A method for treating autism, the method comprising administering to a patient diagnosed as suffering from autism a pharmaceutical composition comprising a therapeutically effective amount of a compound selected from the group consisting of D-cycloserine, a salt of D-cycloserine, an ester of D-cycloserine, and a precursor of D-cycloserine.
- 50. (New) The method according to Claim 49, wherein the compound is D-cycloserine.
- 51. (New) The method of Claim 49, wherein the compound is a salt of D-cycloserine selected from the group consisting of a sodium salt, a potassium salt, a calcium salt, a magnesium salt, a zinc salt, and an ammonium salt of D-cycloserine.
- 52. (New) The method of Claim 49, wherein the compound is an ester of D-cycloserine having an ester group with 1-20 carbon atoms.
- 53. (New) The method of Claim 49, wherein the compound is an alkylated D-cycloserine having an alkyl group with 1-20 carbon atoms.
- 54. (New) The method of Claim 49, wherein the compound is a precursor of D-cycloserine.

Filed: September 23, 2003

Page : 3 of 7

55. (New) The method of Claim 49, wherein the pharmaceutical composition is administered to the patient for at least one week.

- 56. (New) The method of Claim 49, wherein the pharmaceutical composition is administered to the patient for at least 4 weeks.
- 57. (New) The method of Claim 49, wherein the pharmaceutical composition is administered to the patient for at least 6 weeks.
- 58. (New) The method of Claim 49, wherein the pharmaceutical composition is administered to the patient for at least 8 weeks.
- 59. (New) The method of Claim 49, wherein the pharmaceutical composition is administered to the patient at least once daily.
- 60. (New) The method of Claim 49, wherein the pharmaceutical composition is administered to the patient in two doses per day.
- 61. (New) The method of Claim 49, wherein the pharmaceutical composition is administered to the patient in three doses per day.
- 62. (New) The method of Claim 49, wherein the pharmaceutical composition is administered to the patient in four doses per day.
- 63. (New) The method of Claim 49, wherein the pharmaceutical composition is administered by a route selected from the group consisting of oral, intravenous, trans-mucosal,

Filed: September 23, 2003

Page : 4 of 7

pulmonary, transdermal, ocular, buccal, sublingual, intraperitoneal, intrathecal, and intramuscular routes.

- 64. (New) The method of Claim 63, wherein the pharmaceutical composition is administered by an oral route.
- 65. (New) The method of Claim 63, wherein the pharmaceutical composition is administered by an intramuscular route.
- 66. (New) The method of Claim 50, wherein the pharmaceutical composition is administered to the patient for at least one week.
- 67. (New) The method of Claim 50, wherein the pharmaceutical composition is administered to the patient for at least 4 weeks.
- 68. (New) The method of Claim 50, wherein the pharmaceutical composition is administered to the patient for at least 6 weeks.
- 69. (New) The method of Claim 50, wherein the pharmaceutical composition is administered to the patient for at least 8 weeks.
- 70. (New) The method of Claim 50, wherein the pharmaceutical composition is administered to the patient at least once daily.
- 71. (New) The method of Claim 50, wherein the pharmaceutical composition is administered to the patient in two doses per day.

Filed: September 23, 2003

Page : 5 of 7

72. (New) The method of Claim 50, wherein the pharmaceutical composition is administered to the patient in three doses per day.

- 73. (New) The method of Claim 50, wherein the pharmaceutical composition is administered to the patient in four doses per day.
- 74. (New) The method of Claim 50, wherein the pharmaceutical composition is administered by a route selected from the group consisting of oral, intravenous, trans-mucosal, pulmonary, transdermal, ocular, buccal, sublingual, intraperitoneal, intrathecal, and intramuscular routes.
- 75. (New) The method of Claim 74, wherein the pharmaceutical composition is administered by an oral route.
- 76. (New) The method of Claim 74, wherein the pharmaceutical composition is administered by an intramuscular route.